Construction and maintenance of quality engineering tools

Report Number: R17EH2900

Subject Category: Common Business

URL: https://www.jss.jaxa.jp/ar/e2017/4452/

Responsible Representative

Yuji KADO, Safety and Mission Assurance Department

Contact Information

Yuji KADO kado.yuji@jaxa.jp

Members

Yuji Kado, Hiroshi Yanaka

Abstract

Application of optimization software to JSS

Reasons for using of JSS2

To reduce the calculation time of the simulation

Achievements of the Year

We found that our In-house optimization software could be used by JSS.

Publications

N/A

Usage of JSS2

• Computational Information

Parallelization Methods	MPI	
Thread Parallelization Methods	N/A	
Number of Processes	81	
Elapsed Time per Case	1,083.73 seconds	

Resources Used

Fraction of Usage in Total Resources*1 (%): 0.01

Details

Computing Resources				
System Name	Amount of Core Time (core x hours)	Fraction of Usage*2 (%)		
SORA-MA	0.00	0.00		
SORA-PP	671.17	0.01		
SORA-LM	0.00	0.00		
SORA-TPP	0.00	0.00		

File System Resources				
File System Name	Storage assigned(GiB)	Fraction of Usage*2 (%)		
/home	014.31	0.01		
/data	48,971.20	0.91		
/ltmp	2,929.69	0.22		

Archiver Resources			
Archiver System Name	Storage used(TiB)	Fraction of Usage*2 (%)	
J-SPACE	0.00	0.00	

^{*1} Fraction of Usage in Total Resources: Weighted average of three resource types (computing, file system, and archiver)

^{*2} Fraction of Usage: Percentage of usage relative to each resource used in one year