

Project support activity using numerical simulation

Report Number: R24EG3211

Subject Category: Research and Development

URL: <https://www.jss.jaxa.jp/en/ar/e2024/27039/>

● Responsible Representative

Taro Shimizu, Research and Development Directorate, Research Unit III

● Contact Information

Hideyo Negishi(negishi.hideyo@jaxa.jp)

● Members

Ashvin Hosangadi, Junya Aono, Masaharu Abe, Takashi Amemiya, Hiroaki Amakawa, Yu Daimon, Taroh Fukuda, Hironori Fujiwara, Keiichiro Fujimoto, Osamu Fukasawa, Naoki Fukuda, Manabu Hisida, Takanori Haga, Shotaro Hamato, Takayuki Ito, Hiroyuki Ito, Masaru Kusano, Shohei Kawahara, Masako Kikuchi, Akio Kawaguchi, Akari Murata, Shogo Nakao, Kei Nitta, Hideyo Negishi, Takenori Nakajima, Yoichi Ohnishi, Shinji Ohno, Tetsuji Ogawa, Taro Shimizu, Seiji Tsutsumi, Ryoji Takaki, Masashi Toyama, Akimitsu Terunuma, Satoshi Ukai, Himeko Yamamoto, Keita Yamamoto, Masafumi Yamamoto, Rika Yamada, Timothy Weathers, Andrea Zambon

● Abstract

Utilize the simulation technology of Research Unit III to deal with the technical problem solving in current JAXA project, and respond to the request for the project concerning issue. In addition, it realizes "added value (efficiency improvement, high reliability, cost / period reduction, ripple effect, etc.)" unique to numerical simulation technology.

Ref. URL: <https://stage.tksc.jaxa.jp/jedi/en/simul/index.html>

● Reasons and benefits of using JAXA Supercomputer System

In order to respond timely to project requirements, it is necessary to simulate complex geometries of actual spacecraft and to analyze a large number of conditions in a short period.

● Achievements of the Year

With regard to JAXA projects such as H3, SLIM, MMX, HTV-X, and so on, evaluation of design and risks as well as studies for improvement were carried out
by making full use of the simulation technology of Research Unit III and JSS3.

- **Publications**

N/A

- **Usage of JSS**

- **Computational Information**

Process Parallelization Methods	MPI
Thread Parallelization Methods	FLAT
Number of Processes	12 - 400
Elapsed Time per Case	100 Hour(s)

- **JSS3 Resources Used**

Fraction of Usage in Total Resources*1(%): 1.02

Details

Computational Resources		
System Name	CPU Resources Used (core x hours)	Fraction of Usage *2(%)
TOKI-SORA	22,220,331.94	1.02
TOKI-ST	1,101,842.30	1.13
TOKI-GP	19.43	0.00
TOKI-XM	500.85	0.24
TOKI-LM	7,198.89	0.52
TOKI-TST	312,038.89	5.60
TOKI-TGP	41.52	0.29
TOKI-TLM	4,764.93	12.65

File System Resources		
File System Name	Storage Assigned (GiB)	Fraction of Usage* ² (%)
/home	4,220.07	2.85
/data and /data2	372,321.05	1.78
/ssd	22,362.84	1.20

Archiver Resources		
Archiver Name	Storage Used (TiB)	Fraction of Usage* ² (%)
J-SPACE	206.76	0.68

*¹: Fraction of Usage in Total Resources: Weighted average of three resource types (Computing, File System, and Archiver).

*²: Fraction of Usage : Percentage of usage relative to each resource used in one year.

● ISV Software Licenses Used

ISV Software Licenses Resources		
	ISV Software Licenses Used (Hours)	Fraction of Usage* ² (%)
ISV Software Licenses (Total)	2,369.89	1.62

*²: Fraction of Usage : Percentage of usage relative to each resource used in one year.